

GENERAL:

Marker Boards specify Marker Board as required by SREF.

Provide liquid Marker system writing boards. Traditional chalkboards shall not be used (dry erase only) on DCPS projects. Provide a ventilation space between the back-up wall and the liquid Marker Boards enough to avoid moisture condensation. Marker Boards shall be adjustable in height type where indicated on drawing – (A/E to verify location or if project required – pending). Provide vitreous porcelain enamel writing surfaces with superior write ability and erase ability quality. The Architect/Engineer should determine the sizes and locations of marker boards and tackboards carefully with the Facilities Staff during initial Phase 2 planning meeting. Marker Boards shall be manually adjustable with brackets mounted and secured to building structure. Provide structure support in wall to secure adjustable marker board brackets for manufacturer requirements.

Dry marker boards, 16 Linear foot are required in all classrooms and labs (chalkboards are not to be uses.)

Where marker boards are combined with projection screens, completed details should be provided.

The tops of the marker boards should be seven feet (7'-0") above the floor for normal adult use.

Tackboards:

In addition to any bulletin boards specified in the departmental specifications, there will be located in the corridors and/or student commons area the following synthetic surface tackboards:

- For student activities, a minimum of 8 linear feet for large art displays
- For administrative purpose, not less than 8 linear feet in general areas of the reception area, teachers' workrooms, and staff lounges
- Specific areas of the Assistant Principal's office and Guidance Counselor's office of not less than 6 linear feet, Principal's office: 6 linear feet
- Elementary Schools, K-3 classrooms two (2) 4' x 4' in each space and One (1)) 4' x 4' in corridor just outside , 4-5 grades one (1) 4' x 4' in each space and One (1) 4' x 4' in corridor just outside the entrance door
- K-8 Schools, K-3 classrooms two (2) 4' x 4' in each space and One (1)) 4' x 4' in corridor just outside , 4-8 grades one (1) 4' x 4' in each space and One (1)) 4' x 4' in corridor just outside the entrance door
- Middle & Senior High Schools, one (1) 4' x 4' in each space and One (1)) 4' x 4' in corridor just outside the entrance door

Surface material for bulletin boards will be fabric, vinyl with backing material to permit 1/4 inch penetration of tacks, and will have a vertical measurement of not Less than 48 inches. **Do not use Cork.**

END OF SECTION 10100